

High quality filter bags for the food & dairy industry

Doc: 6310002A



Simatek filter bags with sanitary CIP design

Simatek has supplied more than 350 sanitary bag houses equipped with full CIP of the bag house and filter bags.

Simatek has long standing expertise and experience in filter operation, bag technology and upgrading bag houses to improve the performance.

Simatek is also capable of integrating our CIP designed filter bags into original bag houses from other manufacturers.



Certified for food contact

Each filter bag is marked with part number and batch number for full traceability. Test results show a migration well below the legally prescribed limits confirming the excellent properties and food safety of our filter bags.



Benefit at a glance:

- Certified by declaration of conformity according to regulation (EU) no. 10/2011.
- Compliant with FDA, CFR 21 §176 and §177.
- Manufactured according to GMP (EC) no. 2023/2006.
- 3-A symbol certified CIP-able 3-A bag house (standard 40-04).
- Filter bag cleaning verified and approved by USDA.
- Batch control system for total traceability.
- Total migration test.
- CIP equipment and filter bags providing possibility for zero allergens.
- Visible part and batch number.








Filter bag bottom designed for CIP

Simatek filter bag bottom is turned inside out to avoid any open edges that can release fibers.

This ball shaped design contributes to enabling the bags to be washed completely clean.

The unique CIP design can be adapted into bag houses from other manufacturers.



Filter bags for the food & dairy industry

Are you sure your filter bags are properly clean after CIP?





Filter bag top designed for CIP

The CIP-able filter bags are Simatek's own designed product for the food & dairy industry.

The top folded design provides the best possible solution to avoid fibers getting loose from the cut edges.

Simatek has the option to deliver the filter bags either sewed or in welded design of the longitudinal seam.

Order free sample from our website.



Filter bags for the food & dairy industry

Simatek filter bags are specially designed for optimum CIP





Secure packaging for transport and storage

Each cardboard box has a printed label with all necessary information about the product including part number and batch number.

The filter bags are delivered rolled for easier installation in the bag house.

The QR code leads to the Simatek website and shows a detailed video of Simatek filter bag and cage installation.



Filter bags for the food & dairy industry

All Simatek bags come packed in waterproof laminated plastic





Contact us

Please do not hesitate to contact us for further information or inquiries:

aftersales@simatek.com +45 5884 1596



	Simatek article: TAN:			SIM/TEK
		PE/PE	554 glaze ExCharge FoodTec®	iter Technology
	Composition:		534 glaze Excu	
	Web: Scrim:	8031	-ACharge FoodTeac	
	'a Weight [g/m²]: ⁰⁷³⁻¹	Polyester Polyester		
	ess [mm]:	550		
	eability 200 Pa]:	1.6		
	-55	250		
	th:		^{resp,} 150 l/(dm² min) @ 200Pa	
			130 1/(dm² min) @ 24	
		1,600	, @ 200Pa	
		1,550	Sample size 200/50 mm Sampling parallel to the	
	ance: *		Sample size 200/50 mm Sampling parallel to the scrim thre Deformation rate 200 mm/min	
110		≤150	rate 200 mm (in three	ada
Media efilter m	edia	≤150	init/min	uus,
needlona [®] -Filter Media Needlona [®] -Filter Media BwF Envirotec, all Foodfacc [®] filter my employed in the food industry are with a declaration of contornity. We with a declaration of contornity of the food industry. of the food industry.	therefore mands	heat set		
BWF by din unit of contraction of contraction of contraction of all the high of		glazed face side		
with a declar we fulfill an		permanent conductive resistance <10^6 Ohn DEKRA EXAM	e matrix n (DIN 54345 part 1 and part 5). ate for this filter bag material is formity according to p	
	neted by an	'ailable EXAM certific	n (DIN 54345	
for the food indue of the food	e Excellent	h Declaration	 (DIN 54345 part 1 and part 5). ate for this filter bag material is formity according to Regulation (1V and Article 15, With FDA 21 	
uction safety		76 row 2011 Anna	for this filter bag material is formity according to Regulation 1V and Article 15. With FDA 21 nufacture acc. GMP EU 2023/2006	
Our Food independent below the		^{resp.} §177, ma	IV and Article to Regulation	
on active antility	Vilv		rulacture acc. GMP Station	
	et lor		EU 2023/2006	
duction sain food industrigration. falls t	pelony times oration			
	s many times and the specific migration the specific migration the specific migration plies with the specifi- nan commodities Ordi- nan commodities Ordi- the 2002/72/EG.			
trece prision of giene a syolved in stipulate signation	plies modilies			
Food declaration, hys moonents in position. specific intrally com	nan Coll72/EG.	ntinuou		
In food provide a forefront high data walue in of the will be walked to be walked t	ve 2002 for materials and stuffs.	aous ope	erating tempor	
FoodTec® product line. formity 90° C, FOOC limit value with declaration of conforming of processing, hygiene and food grau 90° C, FOOC limit value in food processing, hygiene and food grau 90° C, FOOC limit value uality of all the components involved in quality of all the cocupy a forefront position. In addition to uncompromising high quality in addition to uncompromising high quality in addition to uncompromising high cocupy a forefront position. 90° C, FOOC limit value using process is only made in addition to uncompromising high cocupy and filter media by means of which an in the filter media by means of used in food 90° C, FOOC limit value using process is only made in the filter media by means of used in food 90° C, FOOC limit value using process is only made in addition to uncompromising high cocupies is declaration 90° C, FOOC limit value using process is only made in addition to uncompromising high cocupies is declaration 90° C, FOOC limit value using process is only made 90° C, FOOC limit value using process is only made 90° C, FOOC limit value using process is only made 90° C, FOOC limit value using process is only made 90° C, FOOC limit value using process is only made 90° C, FOOC limit value using process is only made 90° C, FOOC limit value using process is only made 90° C, FOOC l	J) governs use contact with		erating temperature to be	
the raddition to media by mocess is on a declarate the 10/2011 is addition to media by mocess is a declarate to a declarate to 20	Interes			
with the process is only made in food In food process is only made in food In addition to uncompromising high quality In addition to uncompromising high quality In addition to uncompromising high quality In addition to uncompromising high quality wallen attuing for each of the Gent cations of th	nan Continentation of the second seco	100 million -		

Filter bags for the food & dairy industry.

Get a free sample at our website



An optimised investment. Efficiently delivered.

Founded in 1981, Simatek is a leading manufacturer of industrial air filtration solutions. Our high-tech products and systems optimise footprint, performance and maintenance for industrial plants worldwide. All at a low cost of ownership.

Our main areas of expertise:

- Dust collection and aspiration: A wide range of pulse-jet bag filters designed to work with dust explosive atmosphere and meet international standards and certifications.
- Process air: Simatek engineers and manufactures sanitary bag filters according to the requirements of the food and dairy industry – including process filters with Cleaning In Place (CIP) and super sanitary bag filters approved according to the USDA and with 3-A symbol certification.

Unique technology and specialised expertise are at the heart of everything we do at Simatek. Our core team of dedicated employees – alongside our global network of partners and representatives – are ready to help you find the solution that will benefit your business the most.

We call this an optimised investment, effectively delivered.



Simatek A/S

Energiens hus, Energivej 3 DK-4180 Soroe Denmark

Tel (+45) 58 84 15 00 Fax (+45) 58 85 41 07 Mail office@simatek.com www.simatek.com